

# ECOLITE

*Hands You*

*"A Scoop"*

*THAT IS HOT.—  
AND UP TO THE  
MINUTE!*




## FLUORESCENT *Fixtures*



# There Are Wonderful Possibilities for

**MORE** and  
current consumed,  
amount of light, and  
just as economically  
of the advantages of  
Mazda lamps for  
the lighting of  
commercial

**EFFICIENT, ECONOMICAL,  
ALMOST**



A lighting unit scientifically designed to redirect all the light downward over the working area.


**4318**—3 Lights—for 18" bulb. Length 21"

**4324**—3 Lights—for 24" bulb. Length 27"

**4336**—3 Lights—for 36" bulb. Length 39"

Wired complete with three auxiliary units for three lights. Width 9½". Height overall 36".

*Stock Finish: Brushed or Polished Chrome.*




**3118**

A matching wall bracket to 4318.

**3118**—1 Lgt—for 18" bulb. Lgth 21"

**3124**—1 Lgt—for 24" bulb. Lgth 27"

**3136**—1 Lgt—for 36" bulb. Lgth 39"



A fluorescent lighting unit with the added ornamentation of clear glass rods which creates the effect of additional lights when lighted.


**2318**—3 Lights—for 18" bulb. Length 22".

**2324**—3 Lights—for 24" bulb. Length 28".

**2336**—3 Lights—for 36" bulb. Length 40".

Wired complete with three auxiliaries for three lights.

*Stock Finish: Polished Chrome.* 1118—Matching bracket.




**1118**

A bracket with a crystal rod on either side of bulb.

**1118**—1 Lgt—for 18" bulb. Lgth 21½"

**1124**—1 Lgt—for 24" bulb. Lgth 27½"

**1136**—1 Lgt—for 36" bulb. Lgth 39½"



**2418**

Designed for  
as bank  
This unit  
panels of

Wired complete  
Stock Finish




# These New FLUORESCENT Fixtures

For light for the  
heat for the  
light white light  
desired, are some  
new Fluorescent  
applications in  
and other  
interiors.

OMICAL and  
D LIGHT

Look for the  
Manufacturers'  
tag on each  
Fixture.  
It is your assur-  
ance of quality.  
EFCOLITE  
CORPORATION

5 Sizes and 7 Attractively Colored  
Bulbs suggests unlimited ideas for  
lighting Night Clubs, Hotel  
Lobbies, Cocktail Rooms  
and many other unusual  
lighting applications.




5318

A fluorescent lighting unit that incorporates a half section of an opal cylinder to cover three fluorescent lamps and thereby create a pleasing light surface without reducing the intensity of the individual bulbs.

- 5318—3 Lights—for 18" bulb. Length 24".
- 5324—3 Lights—for 24" bulb. Length 30".
- 5336—3 Lights—for 36" bulb. Length 42".

Wired complete with three auxiliary units for three lights. Width 9½". Height overall 36". One half section of 8" dia. opal cylinder.

Stock Finish: Satin and Polished Chrome.




7118

A bracket to match 7418.

- 7118—1 Light — for 18" bulb. Length 24".
- 7124—1 Light — for 24" bulb. Length 30".
- 7136—1 Light — for 36" bulb. Length 42".

Wired complete with an auxiliary unit for one light. Stock Finish: Polished or Satin Chrome.




1418

A fluorescent bracket with an adjustable metal reflector to direct the light downward over a mirror or sign.

- 1418—1 Light — for 18" bulb. Length 21½".
- 1424—1 Light — for 24" bulb. Length 27½".
- 1436—1 Light — for 36" bulb. Length 39½".

Wired complete with switch and auxiliary for one light. Stock Finish: Pol. Chrome.



A standing or portable type of fluorescent lighting unit ideally suitable for lighting check desks in banking rooms, and display counters in department and jewelry stores.


- 8218—2 Lights—for 18" bulb. Length 23"
- 8224—2 Lights—for 24" bulb. Length 29"

This unit is not made for use of the 36" bulb. Stock Finish: Bronze and Gold. Wired complete with cord and plug and two auxiliary units for two lights.

ounting on a higher than average ceiling, such  
ns, hotels and theatre lobbies.  
s designed that it can be made in any number of  
s, such as 4, 6, 8 or even 10 sides.  
4 Lights—for 18" bulb. Length of body 30"  
4 Lights—for 24" bulb. Length of body 36"  
4 Lights—for 36" bulb. Length of body 42"  
e with four auxiliary units for four lights.  
Polished and Satin Chrome.



# Industry is Waiting for this Lighting



**9218**


This fixture is shown without any mounting, but loops and holes are provided so that they can be suspended with iron pipe, angle iron, or chain, whichever is most practical for a particular location.

**9218**—2 Lights—for 18" bulb. Length 21".

**9224**—2 Lights—for 24" bulb. Length 27".

**9236**—2 Lights—for 36" bulb. Length 39".

Wired complete with two auxiliaries for two lights.  
*Stock Finish: Sprayed Aluminum outside and Flat White inside.*



**6218**

For industrial and commercial lighting where efficiency and the color matching of daylight lighting is the major consideration.

**6218**—2 Lights—for 18" bulb. Length 23"


**6224**—2 Lights—for 24" bulb. Length 29"

**6236**—2 Lights—for 36" bulb. Length 41"

Width 9". Height overall 36". Wired complete with two auxiliary units for two lights.

Wired complete with two auxiliaries for two lights.

*Stock Finish: Sprayed Aluminum outside and Flat White inside.*



## Cluster Combinations

By arranging into groups such as two No. **3118** (18" bulb), and two No. **3136** (36" bulb), many unusual lighting combinations can be obtained.

The mounting of 2, 4, 6 or more units together into various geometric designs gives unlimited possibilities for ceiling illumination, ranging from a small dining room to a large auditorium.

**A**LL prices are for the fixtures wired complete with auxiliaries and sockets but no fluorescent bulbs included.

Due to the continued changes and improvements in this new fluorescent lighting field all prices are subject to change without notice.

EFCOLITE CORPORATION is a member of the new manufacturers' association that will manufacture all fluorescent lighting equipment under the joint auspices of The Electrical Testing Laboratories, General Electric Co. and Westinghouse Electric Mfg. Co.

All equipment will bear a tag (when same is available) that will identify this equipment.

# EFCOLITE CORPORATION

**Trenton, New Jersey**